



Minipipistrello

Gae Aulenti

colors



Typology	Table
Utilisation	Indoor

230V 2.4 W 324 lm



diffuse light

A mini version of the PIPISTRELLO lamp designed by Gae Aulenti in 1965. A table lamp with diffused light. Stainless steel base. White methacrylate diffuser. Frame and knob in painted aluminium.

Portable version, rechargeable cordless system (battery charger and battery supplied) via Micro-USB / Type-C, 6-hour battery life. Can also be recharged using compatible power banks.

Touch sensor on the body.


In the Mini version of every Pipistrello, the telescopic arm is not extendable. The shape is retained, but not the mechanical movement.



Family	Minipipistrello
Typology	Table
Utilisation	Indoor

Dimensions

Height	35 cm
Diameter	27 cm
Power supply cable length	45+200 cm
Weight	2.2 Kg



Materials



Structure	aluminium stainless steel	Diffuser	methacrylate 040
Base	iron		

Voltage	230V	Watt	2.4 W
Power unit	Included	Lumen	324 lm
Power supply	Dimmable electronic power supply and rechargeable battery	CRI	>80
Dimming	Touch on body	Duration	50000 h
		CCT	2700 K
		Energy class	E


Certifications



EcoLabel



Photometric curves





Colour variant code

620/J/DIM/T/CL/MO/VE



Green

Gallery





