



Koko Uno

Tube aluminium H 50 cm

Studio PLS Design

colors



Typology Pendant
Utilisation Indoor

230V 8.6 W 1080 lm



direct light


Hanging lamp, direct light. Tubular structure in painted aluminum. Electronic driver included in the aluminum tubular.



Family	Koko Uno
Typology	Pendant
Utilisation	Indoor

Dimensions

Lunghezza	50 cm
Diameter	5,5 cm
Power supply cable length	400 cm
Weight	1.3 Kg



Materials



Structure	aluminium	Diffuser	polycarbonate
Canopy	aluminium		

Voltage	230V	Watt	8.6 W
Power unit	Included	Lumen	1080 lm
Mounting Power Supply	Internal	CRI	>90
Power supply	Electronic power supply	Duration	50000 h
Non dimmable		CCT	3000 K
		Energy class	E


Certifications



EcoLabel



Photometric curves



10W 3000K LED

h (m)	Ø	Em (lux)
h1	0.3/0.3	2591
h2	0.6/0.6	648
h3	0.9/0.9	288
h4	1.2/1.2	162
h5	1.5/1.5	104



Colour variant code



2093/50/DIM/T/3000/BI



White



2093/50/DIM/T/3000/NE



Black



2093/50/DIM/T/3000/BZ



Bronze



2093/50/DIM/T/3000/AU



Pearl Gold