

# Light Module 90° Mamba

3000K

Emiliana Martinelli

colors



Typology      Pendant Wall Ceiling  
Utilisation    Indoor

24V 12.5 W 1606 lm



diffuse light

**CURVO MODULE with a 90° angle** (radius 35cm) to create a modular system with diffused light suspension or ceiling.

The system is composed by curved (code **40053** - 40020 - 40021 - 40135) and linear (code 40022) modules, rotational moulded, white polyethylene material. The combination of modules, through aluminium joints (40026/BI intermediate joint with cable - 40027/BI terminal joint with cable or 40047/BI intermediate joint with support to fix to the ceiling - 40048/BI terminal joint with support to fix to the ceiling), allows you to create linear paths, sinuous or circular paths of Ø 70cm (4 curved modules 40053), Ø 95cm (3 curved modules 40021), Ø 180cm (6 curved modules 40020), and Ø 350cm (12 curved modules 40135). LED light source integrated, Drivers inserted into the canopy (code 40025/BI - 40025/DIM/BI) or into the false ceiling. Dimmable Push/Dali, POT. 10K $\Omega$ , 0-10V, 1-10V.

#### Awards:


iF Design Award 2019



Family	Light module 90° Mamba
Typology	Pendant Wall Ceiling
Utilisation	Indoor

### Dimensions

Profondità	36 cm
Lunghezza	36 cm
Diameter	10 cm
Power supply cable length	400 cm
Weight	0.8 Kg



### Materials


Diffuser	polyethylene	Elementi	aluminium
----------	--------------	----------	-----------

Voltage	24V	Watt	12.5 W
Power unit	Excluded	Lumen	1606 lm
Mounting Power Supply	External	CRI	>80
		Duration	50000 h
		CCT	3000 K
		Energy class	E


### Certifications



### EcoLabel



### Photometric curves





Colour variant code



40053/BI



White



Gallery

